ELSEVIER

Molecular Cell Research

Vol. 1310, 1996

BBA Biochimica et Biophysica Acta

Cumulative Contents

Regular section

Information for Contributors *vii*

Rapid reports

Polymorphonuclear leukocyte lysosomal proteases, cathepsins B and D affect the fibrinolytic system in human umbilical vein endothelial cells
Y. Kimura and K. Yokoi-Hayashi (Japan) 1

Lipopolysaccharide decreases oxygen consumption by Mono Mac 6 cells; an electron paramagnetic resonance oximetry study
R.E. Glover, B. Mile, C.C. Rowlands and S.K. Jackson (UK) 5

Regular papers

IRS-I Expression on the luteinized rat ovary: IGF-I and cyclic AMP effects on IRS-I tyrosine phosphorylation
F. Talavera, Z. Chen and K.M.J. Menon (USA) 10

Effect of K^+-induced depolarization on carbachol-stimulated inositol tetrakisphosphate accumulation in rat cerebrocortical slices
M.E. Myles and J.N. Fain (USA) 19

Isolation of pepsin-resistant laminin fragments from human placenta: effect on epithelial cells cultured from the kidneys of patients with autosomal dominant polycystic kidney disease (ADPKD)
M.J. Slade, I. Pócsi, R.B. Kirby, J.K. Jones, S.E. Ganz, S.A. Taylor and R.G. Price (United Kingdom) 25

Serine isotopomer analysis by ^{13}C-NMR defines glycine-serine interconversion in situ in the renal proximal tubule
G.J. Cowin, D.A. Willgoss, J. Bartley and Z.H. Endre (Australia) 32

Modulation of glycine-serine interconversion by TCA and glycolytic intermediates in normoxic and hypoxic proximal tubules
G.J. Cowin, D.A. Willgoss and Z.H. Endre (Australia) 41

Stimulation of prostaglandin E_2 synthesis by interleukin-1β is amplified by interferons but inhibited by interleukin-4 in human amnion-derived WISH cells
L. Harding, Z. Wang and H.-H. Tai (USA) 48

Retrovirus budding may constitute a port of entry for drug carriers
C. Ropert, Z. Mishal, Jr., J.M. Rodrigues, C. Malvy and P. Couvreur (France) 53

Mastoparan elicits prostaglandin E_2 generation and inhibits inositol phosphate accumulation via different mechanisms in rabbit astrocytes
N. Nakahata, K. Imata, T. Okawa, Y. Watanabe, H. Ishimoto, T. Ono, Y. Ohizumi and H. Nakanishi (Japan) 60

Nuclear localization of a complex of fibroblast growth factor(FGF)-1 and an NH2-terminal fragment of FGF receptor isoforms R4 and R1α in human liver cells
S. Feng, J. Xu, F. Wang, M. Kan and W.L. McKeehan (USA) 67

^{15}N-NMR study of ammonium assimilation in *Agaricus bisporus*
J.J.P. Baars, H.J.M. Op den Camp, C. Van der Drift, J.J.M. Joordens, S.S. Wijmenga, L.J.L.D. Van Griensven and G.D. Vogels (The Netherlands) 74

Characterisation and antiproliferative activity of an α-type murine interferon from embryonic fibroblasts
D. Beare, M. Learmonth, V. Wells, A. Aitken and L. Mallucci (UK) 81

Heparin-steroid conjugates lacking glucocorticoid or mineralocorticoid activities inhibit the proliferation of vascular endothelial cells
E.J. Derbyshire, Y.-C. Yang, S. Li, G.A. Comin, J. Belloir and P.E. Thorpe (USA) 86

The osteoblastic MC3T3-E1 cells synthesized C-terminal propeptide of type I collagen, which promoted cell-attachment of osteoblasts
M. Mizuno, T. Kitafima, M. Tomita and Y. Kuboki (Japan) 97

Effects of peroxovanadate and vanadate on insulin binding, degradation and sensitivity in rat adipocytes
Z.-W. Yu, B.I. Posner, U. Smith and J.W. Eriksson (Sweden, Canada) 103

In vivo processing of the precursor of the major exoglucanase by KEX2 endoprotease in the *Saccharomyces cerevisiae* secretory pathway
R.D. Basco, R. Cueva, E. Andaluz and G. Larriba (Spain) 110

Effects of N^1-guanyl-1,7-diaminoheptane, an inhibitor of deoxyhypusine synthase, on the growth of tumorigenic cell lines in culture
X.-P. Shi, K.-C. Yin, J. Ahern, L.J. Davis, A.M. Stern and L. Waxman (USA) 119

Subsection

Short sequence-paper

Molecular cloning and sequencing of a cDNA encoding a β-thyroid hormone receptor in muscovy duckling
J. Lachuer, C. Legras, C. Ronfort, S. Barges, F. Cohen-Adad, L. Quivet, C. Duchamp, G. Verdier and H. Barré (France) 127

Regular papers

$\beta\gamma$-Transducin stimulates hydrolysis and synthesis of phosphatidylinositol 4,5-bisphosphate in bovine rod outer segment membranes
I.V. Grigorjev, A.I. Grits, I.D. Artamonov, L.A. Baranova and I.D. Volotovski (Belarus, Russian Federation) 131

Relationship between TGFα-induced DNA synthesis and prostaglandin synthesis in human HaCaT keratinocytes
B. Hanke, G. Fürstenberger and F. Marks (Germany) 137

Membrane potential and cytosolic free calcium levels modulate acetylcholine-induced inositol phosphate production in insulin-secreting BTC3 cells
J. Gromada and S. Dissing (Denmark) 145

Protein kinase C inhibits the CAK-CDK2 cyclin-dependent kinase cascade and G1/S cell cycle progression in human diploid fibroblasts
K. Hamada, N. Takuwa, W. Zhou, M. Kumada and Y. Takuwa (Japan) 149

Involvement of protein kinase C in the modulation of 1α,25-dihydroxy-vitamin D_3-induced $^{45}Ca^{2+}$ uptake in rat and chick cultured myoblasts
G. Vazquez and A. Russo de Boland (Argentina) 157

Regulation of heparin-binding EGF-like growth factor expression by phorbol ester in a human hepatoma-derived cell line
N. Ito, S. Higashiyama, S. Kawata, S. Tamura, S. Kiso, H. Tsushima, T. Nakagawa, Y. Matsuzawa and N. Taniguchi (Japan) 163

Desensitization and internalization of adenosine A_1 receptors in rat brain by in vivo treatment with R-PIA: involvement of coated vesicles
A. Ruiz, J.M. Sanz, G. González-Calero, M. Fernández, A. Andrés, A. Cubero and M. Ros (Spain) 168

Regular section

Regular papers

Tumor necrosis factor-α induces the 85-kDa cytosolic phospholipase A_2 gene expression in human bronchial epithelial cells
T. Wu, T. Ikezono, C.W. Angus and J.H. Shelhamer (USA) 175

Cell adhesion to substratum and activation of tyrosine kinases are essentially required for G1/S phase transition in BALB/c 3T3 fibroblasts
T. Kuzumaki, A. Matsuda, K. Ito and K. Ishikawa (Japan) 185

Synergistic and selective stimulation of gelatinase B production in macrophages by lipopolysaccharide, *trans*-retinoic acid and CGP 41251, a protein kinase C regulator
M. Houde, P. Tremblay, S. Masure, G. Opdenakker, D. Oth and R. Mandeville (Canada, Belgium) 193

Cell-specific regulation of the stably expressed serotonin 5-HT_{1A} receptor and altered ganglioside synthesis
J.K. Singh, Q. Yan, G. Dawson and P. Banerjee (USA) 201

Suppression of Ca^{2+} oscillations in glucagon-producing α_2-cells by insulin/glucose and amino acids
A. Berts, A. Ball, E. Gylfe and B. Hellman (Sweden) 212

Hormonal modulation of c-*fos* expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA degradation
C. González-Espinosa and J.A. García-Sáinz (Mexico) 217

Analysis of the T-cell activation signaling pathway mediated by tyrosine kinases, protein kinase C, and Ras protein, which is modulated by intracellular cyclic AMP
T. Ohtsuka, Y. Kaziro and T. Satoh (Japan) 223

Subsection

Review

Apyrases (ATP diphosphohydrolases, EC 3.6.1.5): function and relationship to ATPases
M. Komoszyński and A. Wojtczak (Poland) 233

Regular paper

Collisions and encounters in simulations of receptor/GTP-binding protein interactions via simple diffusion
D. Stickle and R. Barber (USA) 242

Regular section

Hydrogen peroxide and superoxide modulate leukocyte adhesion molecule expression and leukocyte endothelial adhesion
A. Fraticelli, C.V. Serrano Jr., B.S. Bochner, M.C. Capogrossi and J.L. Zweier (USA) 251

Site of action of proteinases in the activation of steroidogenesis in rat adrenal gland
P.G. Mele, L.A. Dada, C. Paz, C.B. Cymeryng, M.F.C. Maciel, M.I. Neuman, C.V. Finkielstein, C.F. Mendez and E.J. Podestá (Argentina) 260

Astrocytes synthesize and secrete prostaglandin D synthetase in vitro
S. Giacomelli, M.-G. Leone, J. Grima, B. Silvestrini and C.Y. Cheng (USA, Italy) 269

Metal binding and ferritin immunoreactivity in a high molecular weight fraction from rat brain
S. San-Marina and D.M.E. Nicholls (Canada) 277

Recovery from acute challenge with noradrenaline, vasopressin and angiotensin II in isolated rat hepatocytes
S.R. Aggarwal and T.N. Palmer (Australia) 284

Effect of lipid peroxidation on transferrin-free iron uptake by rabbit reticulocytes
Z.M. Qian, P.L. Tang and E.H. Morgan (Hong Kong, Australia) 293

A point mutation within each of two ATP-binding motifs inactivates the functions of elongation factor 3
H. Yang, K. Hamada, H. Terashima, M. Izuta, E. Yamaguchi-Sihta, O. Kondoh, H. Satoh, M. Miyazaki, M. Arisawa, C. Miyamoto and K. Kitada (Japan) 303

Distribution and subcellular localization of a growth inhibitory factor in hamster liver and its intracellular partner(s)
C. Hashimoto, M. Ayaki, K. Tanaka, R. Yamamoto, H. Fukuda, H. Funai, A. Wada and Y. Inui (Japan) 309

Opposite regulation of IGF-I and IGF-I receptor mRNA and concomitant changes of GH receptor and IGF-II/M6P receptor mRNA in human IM-9 lymphoblasts
Y. Yang, A. Hoeflich, O. Butenandt and W. Kiess (Germany, People's Republic of China) 317

Glucagon induces Ca^{2+}-dependent increase of reduced pyridine nucleotides in mouse pancreatic β-cells
L.-P. He and H. Kitasato (Japan) 325

Subsection

Neutralizing antibodies to nucleoside diphosphate kinase inhibit the enzyme in vitro and in vivo: evidence for two distinct mechanisms of activation of atrial currents by ATPγS
X.B. Yi, N.M. Sweitzer and A.S. Otero (USA) 334

KN-62, a calcium/calmodulin-dependent protein kinase II inhibitor, inhibits high potassium-stimulated prolactin secretion and intracellular calcium increases in anterior pituitary cells
Z.J. Cui, H. Hidaka and P.S. Dannies (USA, Japan) 343

Testosterone inhibits the basal and gonadotropin-releasing hormone-stimulated synthesis and release of newly synthesized α- and lutropin (LH) β-subunit but not release of stored LH in cultured rat pituitary cells
A.B. Starzec, Y. Lerrant, A. Bérault and R. Counis (France, Tahiti) 348

Cumulative Contents, Vol. 1310 355

Author Index 358